

Clinical Endocrinology

Edited by

P. H. Baylis

H. Burger

S. Franks

M. L. Vance

A. P. Weetman and

W. M. Wiersinga

Editorial Assistant

J. S. Bevan

Medical Statistician

T. Butler

Volume 42

1995

BLACKWELL SCIENCE

OXFORD LONDON EDINBURGH BOSTON

MELBOURNE PARIS BERLIN VIENNA

Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
238 Main Street, Cambridge, MA 02142, USA
PO Box 378, Carlton South, Victoria 3053, Australia
Arnette Blackwell SA, 1, rue de Lille, 75007 Paris, France
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, 10707 Berlin, Germany
Blackwell MZV, Feldgasse 13, A-1238 Wien, Austria

© 1995 Blackwell Science Ltd. Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Blackwell Science Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$11.00 per copy is paid directly to the CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor. 0300-0664/95/\$11.00.

ISSN 0300-0664

Contents

Volume 42, Number 1, January 1995

- 1 **Commentary** Modalities of treatment for children with short stature: A. M. COTTERILL
- 3 Further increase in forearm cortical bone mineral content after discontinuation of growth hormone replacement: S. J. HOLMES, R. W. WHITEHOUSE, G. ECONOMOU, D. J. O'HALLORAN, J. E. ADAMS and S. M. SHALET
- 9 Nifedipine, but not verapamil, acutely elevates parathyroid hormone levels in premenopausal women: A. G. WYNNE, S. A. ROMANSKI, G. G. KLEE, S. J. ORY, W. M. O'FALLON and L. A. FITZPATRICK
- 17 Absence of mutations in the *MEN2A* region of the *ret* proto-oncogene in non-MEN 2A pheochromocytomas: S. L. CHEW, P. LAVENDER, A. JAIN, A. WEBER, R. J. M. ROSS, J. A. H. WASS, G. M. BESSER and A. J. L. CLARK
- 23 Relations between sex hormones, sex hormone binding globulin, insulin-like growth factor-I and insulin-like growth factor binding protein-1 in post-menopausal breast cancer patients: P. E. LØNNING, S.-I. HELLE, D. C. JOHANNESSEN, H. ADLERCREUTZ, E. A. LIEN, M. TALLY, D. EKSE, T. FOTSIS, G. B. ANKER and K. HALL
- 31 Somatostatin receptor imaging in persistent medullary thyroid carcinoma: K. FRANK-RAUE, H. BIHL, U. DÖRR, H. BUHR, R. ZIEGLER and F. RAUE
- 39 Measurement of TSH receptor blocking immunoglobulins using ³H-adenine incorporation into FRTL-5 and JPO9 cells: use in a child with neonatal hypothyroidism: V. P. MICHELANGELI, C. W. POON, E. A. ARNUS, A. G. FRAUMAN, J. CONNELLY and P. G. COLMAN
- 45 Natural history of thyroid associated ophthalmopathy: P. PERROS, A. L. CROMBIE and P. KENDALL-TAYLOR
- 51 Loss of biological activity of arginine vasopressin during its degradation by vasopressinase from pregnancy serum: M. P. GORDGE, D. J. WILLIAMS, N. J. HUGGETT, N. N. PAYNE and G. H. NEILD
- 59 Effect of chronic daily oral administration of 17 β -oestradiol and norethisterone on the isoforms of serum gonadotrophins in post-menopausal women: L. WIDE, T. NAESSEN and D. J. PHILLIPS
- 65 The acute effects of oral ethanol on the hypothalamic-pituitary-adrenal axis in normal human subjects: W. J. INDER, P. R. JOYCE, J. E. WELLS, M. J. EVANS, M. J. ELLIS, L. MATTIOLI and R. A. DONALD

- 73 Replacement treatment with biosynthetic human growth hormone in growth hormone-deficient hypopituitary adults: S. A. BESHYAH, C. FREEMANTLE, M. SHAHI, V. ANYAOKU, S. MERSON, S. LYNCH, E. SKINNER, R. SHARP, R. FOALE and D. G. JOHNSTON
- 85 Effect of glucocorticoid replacement therapy on glucose tolerance and intermediary metabolites in hypopituitary adults: K. A. S. AL-SHOUMER, S. A. BESHYAH, R. NITHTHYANANTHAN and D. G. JOHNSTON
- 91 **Case report** Megestrol-induced Cushing's syndrome: K. A. STEER, A. B. KURTZ and J. W. HONOUR
- 95 **Case report** Pseudo-pheochromocytoma after multiple drug interactions involving the selective monoamine oxidase inhibitor selegiline: H. LEFEBVRE, C. NOBLET, N. MOORE and L. M. WOLF
- 98 **Commentary** Drug interactions mimicking pheochromocytoma: D. J. M. REYNOLDS
- 101 **Letters to the Editors**
- 105 **Book reviews**
- 109 **Errata**

Volume 42, Number 2, February 1995

- 111 **Review** Potassium-angiotensin interplay in the regulation of aldosterone biosynthesis: M. B. VALLOTTON, M. F. ROSSIER and A. M. CAPPONI
- 121 Hypogonadotrophic hypogonadism with hyposmia, X-linked ichthyosis, and renal malformation syndrome: P. MARTUL, J. PINEDA, J. LEVILLIERS, J. A. VAZQUEZ, J. RODRIGUEZ-SORIANO, L. LORIDAN and J. L. DIAZ-PEREZ
- 129 Reduced serum levels of dehydroepiandrosterone sulphate in adrenal incidentalomas: a marker of adrenocortical tumour: D. FLECCHIA, E. MAZZA, M. CARLINI, A. BLATTO, F. OLIVIERI, G. SERRA, F. CAMANNI and M. MESSINA
- 135 Ovaries in sexual precocity: N. A. BRIDGES, A. COOKE, M. J. R. HEALY, P. C. HINDMARSH and C. G. D. BROOK
- 141 Effect of age on bone density and bone turnover in men: J. M. WISHART, A. G. NEED, M. HOROWITZ, H. A. MORRIS and B. E. C. NORDIN

- 147 Effects of cholinergic modulation on serum insulin-like growth factor-I and its binding proteins in normal and diabetic subjects: I. S. ISMAIL, J. P. MIELL, M. F. SCANLON and J. R. PETERS
- 153 Reduced growth hormone secretion with maintained periodicity following cranial irradiation in children with acute lymphoblastic leukaemia: B. LANNERING, S. ROSBERG, I. MARKY, C. MOËLL and K. ALBERTSSON-WIKLAND
- 161 Effect of octreotide on circulating IGF-I chromatographic profile: evidence for an inhibitory action on the formation of the 150-kDa ternary complex: A. BARRECA, G. CARIOLA, P. PONZANI, M. ARVIGO, L. FOPPIANI, G. GIORDANO and F. MINUTO
- 169 The IGF-I receptor sub-membrane domain is intact in GH-secreting pituitary tumours: Y. GREENMAN, D. PRAGER and S. MELMED
- 173 Growth hormone responses to dexamethasone in healthy females throughout the menstrual cycle: J. H. THAKORE and T. G. DINAN
- 179 Abnormal body composition and reduced bone mass in growth hormone deficient hypopituitary adults: S. A. BESHYAH, C. FREEMANTLE, E. THOMAS, O. RUTHERFORD, B. PAGE, M. MURPHY and D. G. JOHNSTON
- 191 Growth hormone secretion after the administration of GHRP-6 or GHRH combined with GHRP-6 does not decline in late adulthood: D. MICIC, V. POPOVIC, A. KENDERESKI, D. MACUT, F. F. CASANUEVA and C. DIEGUEZ
- 195 **Endocrine Investigation** Investigation of hypocalcaemia: J. E. COMPSTON
- 199 **Case report** Autonomous hyperparathyroidism in X-linked hypophosphataemia: J. KNUDTZON, J. HALSE, E. MONN, A. NESLAND, K. P. NORDAL, P. PAUS, M. SEIP, S. SUND and G. SØDAL
- 205 **Commentary** Hyperparathyroidism in X-linked hypophosphataemic osteomalacia: M. DAVIES
- 207 **Case report** Pseudo-tumours of the thymus after correction of hypercortisolism in patients with ectopic ACTH syndrome: a report of five cases: A. TABARIN, B. CATARGI, P. CHANSON, S. HIERONIMUS, J.-B. CORCUFF, F. LAURENT, M. HARTE, J. DROUILLARD and P. ROGER
- 215 **Rapid communication** Plasma catecholamines in patients with Addison's disease: S. R. BORNSTEIN, M. BREIDERT, M. EHRHART-BORNSTEIN, B. KLOOS and W. A. SCHERBAUM
- 219 **Book review**
- 220 **Notices**
- Volume 42, Number 3, March 1995
- 221 **Review** Role of melatonin in health and disease: S. M. WEBB and M. PUIG-DOMINGO
- 235 Human chorionic gonadotrophin immunoactivity in cystic intracranial tumours: J. HONEGGER, K. MANN, P. THIERAUF, A. ZRINZO and R. FAHLBUSCH
- 243 Human TRH receptor messenger ribonucleic acid levels in normal and adenomatous pituitary: analysis by the competitive reverse transcription polymerase chain reaction method: H. KAJI, YUE XU, Y. TAKAHASHI, H. ABE, N. TAMAKI and K. CHIHARA
- 249 The effects of prolonged growth hormone replacement on bone metabolism and bone mineral density in hypopituitary adults: S. A. BESHYAH, P. KYD, E. THOMAS, A. FAIRNEY and D. G. JOHNSTON
- 255 Increased secretion of 32,33 split proinsulin after intravenous glucose in glucose-tolerant first-degree relatives of patients with non-insulin dependent diabetes of European, but not Asian, origin: S. V. GELDING, C. ANDRES, R. NITHIYANATHAN, I. P. GRAY, H. MATHER and D. G. JOHNSTON
- 265 'Exaggerated adrenarche' in children presenting with premature adrenarche: S. LIKITMASKUL, C. T. COWELL, K. DONAGHUE, D. J. KREUTZMANN, N. J. HOWARD, B. BLADES and M. SILINK
- 273 Increased 17 α -hydroxyprogesterone response to ACTH in silent adrenal adenoma: cause or effect?: P. DEL MONTE, D. BERNASCONI, L. BERTOLAZZI, M. MEOZZI, B. BADARACCO, R. TORRE and M. MARUGO
- 279 The contribution of hypogonadism to the development of osteoporosis in thalassaemia major: new therapeutic approaches: M. L. G. ANAPLIOTOU, I. T. KASTANIAS, P. PSARA, E. A. EVANGELOU, M. LIPARAKI and P. DIMITRIOU
- 289 Short-term effects of octreotide on blood pressure and plasma catecholamines and neuropeptide Y levels in patients with pheochromocytoma: a placebo-controlled trial: P.-F. PLOUIN, J. BERTHERAT, G. CHATELLIER, E. BILLAUD, M. AZIZI, E. GROUZMANN and J. EPELBAUM
- 295 Characteristics of acromegalic patients with a good response to octreotide, a somatostatin analogue: I. M. YANG, J. T. WOO, S. W. KIM, J. W. KIM, Y. S. KIM and Y. K. CHOI
- 303 Life events, daily stresses and coping in patients with Graves' disease: A. W. C. KUNG
- 309 **Endocrine investigation** Investigation of thyrotoxicosis: P. KENDALL-TAYLOR

- 315 **Case report** Lymphocytic adenohypophysitis: magnetic resonance imaging features of two new cases and a review of the literature: J. K. POWRIE, M. POWELL, A. B. AYERS, C. LOWY and P. H. SÖNKSEN
- 323 **Case report** Two cases of Wegener's granulomatosis involving the pituitary: G. A. ROBERTS, E. EREN, H. SINCLAIR, M. PELLING, A. BURNS, R. BRADFORD, R. MAURICE-WILLIAMS, C. M. BLACK, N. FINER and P.-M. G. BOULOUX
- 329 **Letters to the Editors**
- 331 **Notices**

Volume 42, Number 4, April 1995

- 333 **Review** Growth and endocrine function after bone marrow transplantation: S. M. SHALET, M. DIDI, A. L. OGILVY-STUART, J. SCHULGA and M. D. C. DONALDSON
- 341 Phasic serum lipid excursions occur during cyclical oral conjugated oestrogens but not during transdermal oestradiol sequentially combined with oral medroxyprogesterone acetate: A. LEMAY, S. DODIN, I. CEDRIN and L. T-LEMAY
- 353 Perinatal consequences of maternal hypothyroidism in early pregnancy and inadequate replacement: N. WASSERSTRUM and C. A. ANANIA
- 359 Growth hormone treatment of short Chinese children with β -thalassaemia major without GH deficiency: L. C. K. LOW, E. Y. W. KWAN, Y. J. LIM, A. C. W. LEE, C. F. TAM and K. S. L. LAM
- 365 Long-term results of growth hormone therapy in children with short stature, subnormal growth rate and normal growth hormone response to secretagogues: J.-M. WIT, B. BOERSMA, S. M. P. F. DE MUINCK KEIZER-SCHRAMA, H. E. NIENHUIS, W. OOSTDIJK, B. J. OTTEN, H. A. DELEMARRE-VAN DE WAAL, M. REESER, J. J. J. WAELEKENS, B. RIKKEN and G. G. MASSA
- 373 Effect of acute desmopressin and of long-term thyroxine replacement on haemostasis in hypothyroidism: E. M. T. ERFURTH, U.-B. C. ERICSSON, K. EGERVALL and S. R. LETHAGEN
- 379 Thyroid cell survival in coculture with autologous peripheral or intrathyroidal lymphocytes: C. MASSART, J. GIBASSIER, F. LE GALL, M. L. RAOUL, F. BEURTIN, N. GENETET, B. GENETET and C. LUCAS
- 389 **Commentary** Inhibin in pregnancy: D. M. DE KRETZER
- 391 Measurement of serum concentrations of inhibin-A (α - β_A dimer) during human pregnancy: S. MUTTUKRISHNA, L. GEORGE, P. A. FOWLER, N. P. GROOME and P. G. KNIGHT
- 399 Long-term effects of insulin-like growth factor (IGF)-I treatment on serum IGFs and IGF binding proteins in adolescent patients with growth hormone receptor deficiency: K. F. WILSON, P. J. FIELDER, J. GUEVARA-AGUIRRE, P. COHEN, O. VASCONEZ, V. MARTINEZ, A. MARTINEZ, A. L. ROSENBLOOM and R. G. ROSENFELD
- 409 Maternal hypothyroxinaemia during the first half of gestation in an iodine deficient area with endemic cretinism and related disorders: F. VERMIGLIO, V. P. LO PRESTI, G. S. ARGENTINA, M. D. FINOCCHIARO, D. GULLO, S. SQUATRITO and F. TRIMARCHI
- 417 Assessment of GH status in acromegaly using serum growth hormone, serum insulin-like growth factor-I and urinary growth hormone excretion: A. S. BATES, A. J. EVANS, P. JONES and R. N. CLAYTON
- 425 Assessment of GH status in adults with GH deficiency using serum growth hormone, serum insulin-like growth factor-I and urinary growth hormone excretion: A. S. BATES, A. J. EVANS, P. JONES and R. N. CLAYTON
- 431 **Commentary** The consequences of congenital hypothyroidism: C. G. D. BROOK
- 433 **Case report** Non-islet cell tumour induced hypoglycaemia with acromegaloid facial and acral swelling: N. TRIVEDI, A. MITHAL, A. K. SHARMA, S. K. MISHRA, R. PANDEY, B. TRIVEDI and W. H. DAUGHADAY
- 437 **Case report** Complex glycerol kinase deficiency: an unusual cause of salt-wasting in males: R. BALDUCCI, G. MUNICCHI, V. TOSCANO, A. MANGIANTINI, R. SABATINI, S. CAIOLA, B. TEDESCHI, L. ORLANDI and B. BOSCHERINI
- 441 **Letters to the Editors**

Volume 42, Number 5, May 1995

- 445 **Audit in Endocrinology** An audit of oestradiol levels and implant frequency in women undergoing subcutaneous implant therapy: H. M. BUCKLER, P. K. KAISI, J. A. CANTRILL and D. C. ANDERSON
- 451 **Commentary** Should serum calcitonin be measured routinely in all patients with nodular thyroid disease?: M. C. SHEPPARD

- 453 Prevalence of sporadic medullary thyroid carcinoma: the importance of routine measurement of serum calcitonin in the diagnostic evaluation of thyroid nodules: M. RIEU, M.-C. LAME, A. RICHARD, B. LISSAK, B. SAMBORT, P. VUONG-NGOC, J.-L. BERROD and J.-P. FOMBEUR
- 461 Adrenarche does not occur in treated patients with congenital adrenal hyperplasia resulting from 21-hydroxylase deficiency: V. L. BRUNELLI, G. CHIUMELLO, M. DAVID and M. G. FOREST
- 467 Hypothalamic-pituitary dysfunction in patients with craniopharyngioma: M. PAJA, T. LUCAS, J. GARCIA-URÍA, F. SALAMÉ, B. BARCELÓ and J. ESTRADA
- 475 Gonadotrophin and gonadal steroid response to a single dose of a long-acting agonist of gonadotrophin-releasing hormone in ovulatory and anovulatory women with polycystic ovary syndrome: D. WHITE, A. LEIGH, C. WILSON, A. DONALDSON and S. FRANKS
- 483 Familial prolactinoma: M. BEREZIN and A. KARASIK
- 487 Prolactin receptors in human pituitary adenomas: E. CICCARELLI, G. FACCANI, A. LONGO, G. DALLE ORE, M. PAPOTTI, S. GROTTOLE, P. RAZZORE, C. GHÈ and G. MUCCIOLI
- 493 Changes in bone mass and metabolism after surgery for primary hyperparathyroidism: M. GARTON, J. MARTIN, A. STEWART, Z. KRUKOWSKI, N. MATHESON, S. ROBINS, N. LOVERIDGE and D. REID
- 501 Age related changes in the pituitary-testicular axis in normal men: lower serum testosterone results from decreased bioactive LH drive: R. MITCHELL, S. HOLLIS, C. ROTHWELL and W. R. ROBERTSON
- 509 The effect of a continuous infusion of a somatostatin analogue (octreotide) for two years on growth hormone secretion and height prediction in tall children: P. C. HINDMARSH, P. J. PRINGLE, R. STANHOPE and C. G. D. BROOK
- 517 Long-term effects of radioiodine on thyrotrophin receptor antibodies in Graves' disease: Y. AIZAWA, K. YOSHIDA, N. KAISE, K. KAISE, H. FUKAZAWA, Y. KISO, K. MORI, N. SAYAMA, K. KIKUCHI and K. ABE
- 523 Measurement of thyroglobulin in newborn screening specimens from normal and hypothyroid infants: M. L. MITCHELL and R. J. HERMOS
- 529 Lymphocytic hypophysitis: unusual features of a rare disorder: P. J. JENKINS, S. L. CHEW, D. G. LOWE, F. AFSHART, M. CHARLESWORTH, G. M. BESSER and J. A. H. WASS
- 535 **Endocrine Investigation** Hypercalcaemia: T. J. MARTIN and V. GRILL
- 539 **Case report** Mammosomatotroph adenoma causing gigantism in an 8-year-old boy: a possible pathogenetic mechanism: J.-M. DUBUIS, C. L. DEAL, R. T. DREWS, C. G. GOODYER, G. LAGACÉ, S. L. ASA, G. VAN VLIET and R. COLLU
- 551 **Rapid communication** Fetal osteocalcin levels are related to placental 11 β -hydroxysteroid dehydrogenase activity in humans: R. BENEDIKTSSON, J. BRENNAND, L. TIBI, A. A. CALDER, J. R. SECKL and C. R. W. EDWARDS
- 557 **Letters to the Editors**
- 561 **Book reviews**
- 563 **Notices**

Volume 42, Number 6, June 1995

- 565 **Review** Current evidence for and against the TSH receptor being the common antigen in Graves' disease and thyroid associated ophthalmopathy: R. PASCHKE, G. VASSART and M. LUDGATE
- 571 Somatostatin receptor scintigraphy and octreotide treatment in patients with thyroid eye disease: G. E. KRASSAS, A. DUMAS, N. PONTIKIDES and TH. KALTSAS
- 581 Multicentre study on prevalence of endocrine complications in thalassaemia major: Italian Working Group on Endocrine Complications in Non-endocrine Diseases
- 587 Short stature in homozygous β -thalassaemia is due to disproportionate truncal shortening: C. P. RODDA, E. D. REID, S. JOHNSON, J. DOERY, R. MATTHEWS and D. K. BOWDEN
- 593 Effectiveness of a long-acting injectable form of bromocriptine in patients with prolactin and growth hormone secreting macroadenomas: S. TSAGARAKIS, E. TSIGANOY, I. TZAVARA, H. NIKOLOU and N. THALASSINOS
- 601 The prevalence of polycystic ovaries in the hepatic glycogen storage diseases: its association with hyperinsulinism: P. J. LEE, A. PATEL, P. C. HINDMARSH, A. P. MOWAT and J. V. LEONARD
- 607 Urinary pyridinoline and deoxypyridinoline excretion in children: N. J. SHAW, J. DUTTON, W. D. FRASER and C. S. SMITH
- 613 Characteristics of adults who wish to enter a trial of growth hormone replacement: S. J. HOLMES and S. M. SHALET
- 619 The growth and cardiovascular effects of high dose growth hormone therapy in idiopathic short stature: J. S. BARTON, H. M. GARDINER, S. CULLEN, P. C. HINDMARSH, C. G. D. BROOK and M. A. PREECE

- 627 Effect of growth hormone replacement on bone mass in adults with adult onset growth hormone deficiency: S. J. HOLMES, R. W. WHITEHOUSE, R. SWINDELL, G. ECONOMOU, J. E. ADAMS and S. M. SHALET
- 635 Dysfunction of the growth hormone/insulin-like growth factor-I axis in women with polycystic ovarian syndrome: G. P. PIADITIS, T. G. KOUNADI, D. B. RANGOU, G. P. TROVAS, N. A. KAKIAS, A. J. TZONOU and C. S. CHIOUVERAKIS
- 641 A simplified gonadotrophin-releasing hormone test for precocious puberty: A. CAVALLO, G. E. RICHARDS, S. BUSEY and S. E. MICHAELS
- 647 **Endocrine Investigation** Precocious puberty: C. G. D. BROOK
- 651 **Audit in Endocrinology** Thyroid cancer management: K. J. HARDY, B. R. WALKER, R. S. LINDSAY, R. LEE KENNEDY, J. R. SECKL and P. L. PADFIELD
- 657 **Case report** Acute pre-tibial myxoedema following radioiodine therapy for thyrotoxic Graves' disease: R. D. HARVEY, R. A. METCALFE, C. MORTEO, W. FURMANIAK, A. P. WEETMAN and J. S. BEVAN
- 661 **Commentary** Acute pretibial myxoedema, Graves' disease and radioiodine therapy: J. H. LAZARUS
- 663 **Case report** Clinical and genetic changes in a case of a Cushing's carcinoma: A. S. BATES, N. BUCKLEY, M. D. BOGGILD, E. J. BICKNELL, C. W. PERRETT, J. C. BROOME and R. N. CLAYTON
- 671 **Commentary** Clinical and genetic changes in a case of a Cushing's carcinoma: P. E. HARRIS
- 673 **Rapid communication** Recombinant human insulin-like growth factor-I decreases serum lipoprotein(a) concentrations in normal adult men: J. OSCARSSON, U. LUNDSTAM, B. GUSTAFSSON, P. WILTON, S. EDÉN and O. WIKLUND
- 677 **Book review**
- 678 **Notices**
- 679 **Referees**
- 681 **Author index**
- 690 **Subject index**